

# Formatting Output & Enumerated Types & Wrapper Classes

September 7, 2007

ComS 207: Programming I (in Java)  
Iowa State University, FALL 2007  
Instructor: Alexander Stoytchev

© 2004 Pearson Addison-Wesley. All rights reserved.

Quick review of last lecture

© 2004 Pearson Addison-Wesley. All rights reserved.

## String Class

```
String (String str)
  Constructor: creates a new String object with the same characters as str.
char charAt (int index)
  Returns the character at the specified index.
int compareTo (String str)
  Returns an integer indicating if this string is lexicographically before (a negative return value), equal to (a zero return value), or lexicographically after (a positive return value), the string str.
String concat (String str)
  Returns a new String consisting of this string concatenated with str.
boolean equals (String str)
  Returns true if this string contains the same characters as str (including case) and false otherwise.
boolean equalsIgnoreCase (String str)
  Returns true if this string contains the same characters as str (without regard to case) and false otherwise.
int length ()
  Returns the number of characters in this string.
String replace (char oldChar, char newChar)
  Returns a new string that is identical with this string except that every occurrence of oldChar is replaced by newChar.
String substring (int offset, int endIndex)
  Returns a new string that is a subset of this string starting at index offset and extending through endIndex-1.
String toLowerCase ()
  Returns a new string identical to this string except all uppercase letters are converted to their lowercase equivalent.
String toUpperCase ()
  Returns a new string identical to this string except all lowercase letters are converted to their uppercase equivalent.
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## The String Class

- Because strings are so common, we don't have to use the new operator to create a String object

```
title = "Java Software Solutions";
```

- This is special syntax that works only for strings
- Each string literal (enclosed in double quotes) represents a String object

© 2004 Pearson Addison-Wesley. All rights reserved.

## String Methods

- Once a String object has been created, neither its value nor its length can be changed
- Thus we say that an object of the String class is *immutable*
- However, several methods of the String class return new String objects that are modified versions of the original
- See the list of String methods on page 119 and in Appendix M

© 2004 Pearson Addison-Wesley. All rights reserved.

## String Indexes

- It is occasionally helpful to refer to a particular character within a string
- This can be done by specifying the character's numeric *index*
- The indexes begin at zero in each string
- In the string "Hello", the character 'H' is at index 0 and the 'o' is at index 4
- See [StringMutation.java](#) (page 120)

© 2004 Pearson Addison-Wesley. All rights reserved.

## String Mutations Example

phrase → "Change is inevitable"

© 2004 Pearson Addison-Wesley. All rights reserved

## String Mutations Example

phrase → "Change is inevitable"

```
mutation1=phrase.concat(", except from vending machines.");
```

mutation1 → "Change is inevitable, except from vending machines."

```
mutation2= mutation1.toUpperCase();
```

mutation2 → "CHANGE IS INEVITABLE, EXCEPT FROM VENDING MACHINES"

© 2004 Pearson Addison-Wesley. All rights reserved

## String Mutations Example

```
mutation3= mutation2.replace('E', 'X');
```

```
mutation4= mutation3.substring(3, 30);
```

mutation3 → "CHANGX IS INXVITABLX, XXCXPT FROM VXNDING MACHINXKX"

mutation4 → "NGX IS INXVITABLX, XXCXPT F"

© 2004 Pearson Addison-Wesley. All rights reserved

Package	Provides support to
java.applet	Create programs (applets) that are easily transported across the Web.
java.awt	Draw graphics and create graphical user interfaces; AWT stands for Abstract Windowing Toolkit.
java.beans	Define software components that can be easily combined into applications.
java.io	Perform a wide variety of input and output functions.
java.lang	General support; it is automatically imported into all Java programs.
java.math	Perform calculations with arbitrarily high precision.
java.net	Communicate across a network.
java.rmi	Create programs that can be distributed across multiple computers; RMI stands for Remote Method Invocation.
java.security	Enforce security restrictions.
java.sql	Interact with databases; SQL stands for Structured Query Language.
java.text	Format text for output.
java.util	General utilities.
javax.swing	Create graphical user interfaces with components that extend the AWT capabilities.
javax.xml.parsers	Process XML documents; XML stands for eXtensible Markup Language.

© 2004 Pearson Addison-Wesley. All rights reserved

## Class Libraries

- A *class library* is a collection of classes that we can use when developing programs
- The *Java standard class library* is part of any Java development environment
- Its classes are not part of the Java language per se, but we rely on them heavily
- Various classes we've already used (*System*, *Scanner*, *String*) are part of the Java standard class library
- Other class libraries can be obtained through third party vendors, or you can create them yourself

© 2004 Pearson Addison-Wesley. All rights reserved

## The import Declaration

- When you want to use a class from a package, you could use its *fully qualified name*

```
java.util.Scanner
```

- Or you can *import* the class, and then use just the class name

```
import java.util.Scanner;
```

- To import all classes in a particular package, you can use the *\** wildcard character

```
import java.util.*;
```

© 2004 Pearson Addison-Wesley. All rights reserved

## The import Declaration

- All classes of the `java.lang` package are imported automatically into all programs
- It's as if all programs contain the following line:

```
import java.lang.*;
```
- That's why we didn't have to import the `System` or `String` classes explicitly in earlier programs
- The `Scanner` class, on the other hand, is part of the `java.util` package, and therefore must be imported

© 2004 Pearson Addison-Wesley. All rights reserved.

## Where are the packages located?

- `C:\Program Files\Java\jdk1.5.0\src.zip`
- The zip file contains all libraries that ship with the java language.

© 2004 Pearson Addison-Wesley. All rights reserved.

## Can you add new packages?

Create a directory `c:\<some_path>\ISU`

In that directory save the file `Cyclone.java`

At the top of `Cyclone.java` put:  
`package ISU;`

Compile '`Cyclone.java`' but don't run it.

Set your `CLASSPATH` to `c:\<some_path>\`

© 2004 Pearson Addison-Wesley. All rights reserved.

## Cyclone.java

```
package ISU;
public class Cyclone
{
    private String msg;
    public Cyclone (String message)
    {
        msg=message;
    }
    public void printMessage ()
    {
        System.out.println(msg);
    }
}
```

© 2004 Pearson Addison-Wesley. All rights reserved.


## TestCyclone.java

```
import ISU.Cyclone;

public class TestCyclone
{
    public static void main(String[] args)
    {
        Cyclone cy= new Cyclone("Go Cyclones!");
        cy.printMessage();
    }
}
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## Chapter 3 Sections 3.4 - 3.5



PEARSON  
Addison  
Wesley

© 2004 Pearson Addison-Wesley. All rights reserved.

## The Random Class

- The `Random` class is part of the `java.util` package
- It provides methods that generate pseudorandom numbers
- A `Random` object performs complicated calculations based on a *seed value* to produce a stream of seemingly random values

© 2004 Pearson Addison-Wesley. All rights reserved.

## Methods in The Random Class

```
Random ()
  Constructor: creates a new pseudorandom number generator.
float nextFloat ()
  Returns a random number between 0.0 (inclusive) and 1.0 (exclusive).
int nextInt ()
  Returns a random number that ranges over all possible int values (positive
  and negative).
int nextInt (int num)
  Returns a random number in the range 0 to num-1.
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## Random Numbers Example

- See [RandomNumbers.java](#) (page 126)

© 2004 Pearson Addison-Wesley. All rights reserved.

## The Math Class

- The `Math` class is part of the `java.lang` package
- The `Math` class contains methods that perform various mathematical functions
- These include:
  - absolute value
  - square root
  - exponentiation
  - trigonometric functions

© 2004 Pearson Addison-Wesley. All rights reserved.

## Math Class

```
static int abs (int num)
  Returns the absolute value of num.

static double acos (double num)
static double asin (double num)
static double atan (double num)
  Returns the arc cosine, arc sine, or arc tangent of num.

static double cos (double angle)
static double sin (double angle)
static double tan (double angle)
  Returns the angle cosine, sine, or tangent of angle, which is measured
  in radians.

static double ceil (double num)
  Returns the ceiling of num, which is the smallest whole number greater
  than or equal to num.

static double exp (double power)
  Returns the value e raised to the specified power.

static double floor (double num)
  Returns the floor of num, which is the largest whole number less than
  or equal to num.

static double pow (double num, double power)
  Returns the value num raised to the specified power.

static double random ()
  Returns a random number between 0.0 (inclusive) and 1.0 (exclusive).

static double sqrt (double num)
  Returns the square root of num, which must be positive.
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## The Math Class


- The methods of the `Math` class are *static methods* (also called *class methods*)
- Static methods can be invoked through the class name – no object of the `Math` class is needed
  - `value = Math.cos(90) + Math.sqrt(delta);`
- See [Quadratic.java](#) (page 129)
- We discuss static methods further in Chapter 6

© 2004 Pearson Addison-Wesley. All rights reserved.

## Run examples from the book

© 2004 Pearson Addison-Wesley. All rights reserved.

## Chapter 3 Sections 3.6 - 3.8



PEARSON  
Addison-  
Wesley

© 2004 Pearson Addison-Wesley. All rights reserved.

## Formatting Output

- Two new classes
  - DecimalFormat
  - NumberFormat

© 2004 Pearson Addison-Wesley. All rights reserved.

## Methods in NumberFormat Class

```
String format (double number)
    Returns a string containing the specified number formatted according to
    this object's pattern.

static NumberFormat getCurrencyInstance()
    Returns a NumberFormat object that represents a currency format for the
    current locale.

static NumberFormat getPercentInstance()
    Returns a NumberFormat object that represents a percentage format for
    the current locale.
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## NumberFormat Example

```
double dollars=5.994;
NumberFormat fmt = NumberFormat.getCurrencyInstance();
System.out.println ( "Price = " + fmt.format(dollars) );
```

**RESULT:**  
Price = \$5.99

© 2004 Pearson Addison-Wesley. All rights reserved.

## Methods in DecimalFormat Class

```
DecimalFormat (String pattern)
    Constructor: creates a new DecimalFormat object with the specified pattern.

void applyPattern (String pattern)
    Applies the specified pattern to this DecimalFormat object.

String format (double number)
    Returns a string containing the specified number formatted according to the
    current pattern.
```

© 2004 Pearson Addison-Wesley. All rights reserved.

## DecimalFormat Example

```
double miles = .5395;

DecimalFormat fmt = new DecimalFormat("0.###");
System.out.println ( "Miles = " + fmt.format(miles) );
```

RESULT:

~~Miles = 0.540~~

Miles = 0.54

© 2004 Pearson Addison-Wesley. All rights reserved

## The printf Method

- Provided as a courtesy to C programmers
- `System.out.printf("ID: %5d\tName: %s", id, name);`

© 2004 Pearson Addison-Wesley. All rights reserved

## The printf convention

- `%d` print an int argument in decimal
- `%ld` print a long int argument in decimal
- `%c` print a character
- `%s` print a string
- `%f` print a float or double argument
- `%e` same as `%f`, but use exponential notation
- `%g` use `%e` or `%f`, whichever is better
- `%o` print an int argument in octal (base 8)
- `%x` print an int argument in hexadecimal (base 16)
- `%%` print a single %

© 2004 Pearson Addison-Wesley. All rights reserved

[From: [www.eskimo.com/~scs/eclass/notes/sx6a.html](http://www.eskimo.com/~scs/eclass/notes/sx6a.html) ]

## Wrapper Classes

- The `java.lang` package contains *wrapper classes* that correspond to each primitive type:

<u>Primitive Type</u>	<u>Wrapper Class</u>
byte	Byte
short	Short
int	Integer
long	Long
float	Float
double	Double
char	Character
boolean	Boolean
void	Void

© 2004 Pearson Addison-Wesley. All rights reserved

## Integer Class

```
Integer (int value)
    Constructor: creates a new Integer object storing the specified value.

byte byteValue ()
double doubleValue ()
float floatValue ()
int intValue ()
long longValue ()
    Return the value of this Integer as the corresponding primitive type.

static int parseInt (String str)
    Returns the int corresponding to the value stored in the
    specified string.

static String toBinaryString (int num)
static String toHexString (int num)
static String toOctalString (int num)
    Returns a string representation of the specified integer value in the
    corresponding base.
```

© 2004 Pearson Addison-Wesley. All rights reserved

## Wrapper Classes

- The following declaration creates an `Integer` object which represents the integer 40 as an object  
`Integer age = new Integer(40);`
- An object of a wrapper class can be used in any situation where a primitive value will not suffice
- For example, some objects serve as containers of other objects
- Primitive values could not be stored in such containers, but wrapper objects could be

© 2004 Pearson Addison-Wesley. All rights reserved

## Wrapper Classes

- Wrapper classes also contain static methods that help manage the associated type
- For example, the `Integer` class contains a method to convert an integer stored in a `String` to an `int` value:

```
num = Integer.parseInt(str);
```

- The wrapper classes often contain useful constants as well
- For example, the `Integer` class contains `MIN_VALUE` and `MAX_VALUE` which hold the smallest and largest `int` values

© 2004 Pearson Addison-Wesley. All rights reserved

## Autoboxing

- **Autoboxing** is the automatic conversion of a primitive value to a corresponding wrapper object:

```
Integer obj;  
int num = 42;  
obj = num;
```

- The assignment creates the appropriate `Integer` object
- The reverse conversion (called *unboxing*) also occurs automatically as needed

© 2004 Pearson Addison-Wesley. All rights reserved

## Autoboxing Examples

```
Integer obj1;  
int num1 = 69;  
obj1 = num1; // automatically creates an  
             //integer object
```

```
Integer obj2= new Integer(69);  
int num2;  
num2 = obj2; // automatically extracts  
             //the int value
```

© 2004 Pearson Addison-Wesley. All rights reserved

THE END

© 2004 Pearson Addison-Wesley. All rights reserved